

UNITED STATES

EIGHTH GRADE DRUG USE

	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Percent Currently Using Drug											
Alcohol	21.5	22.4	24.0	23.0	24.5	26.2	24.6	25.5	24.3		
Been Drunk Within Past 30 days	7.7	8.3	9.4	8.4	8.2	9.6	8.3	8.7	7.8	7.5	7.6
Binge Alcohol Use *	13.2	14.1	15.2	13.7	14.5	15.6	14.5	14.5	13.5	13.4	12.9
Cigarettes	12.2	14.6	17.5	19.1	19.4	21.0	19.1	18.6	16.7	15.5	14.3
Smokeless Tobacco	4.0	4.2	4.5	4.8	5.5	7.1	7.1	7.7	6.6	7.0	6.9
Any Illicit Drug	11.7	11.9	12.2	12.1	12.9	14.6	12.4	10.9	8.4	6.8	5.7
Marijuana/Hashish	9.2	9.1	9.7	9.7	10.2	11.3	9.1	7.8	5.1	3.7	3.2
Inhalants	4.0	4.5	5.0	4.8	5.6	5.8	6.1	5.6	5.4	4.7	4.4
Hallucinogens	1.2	1.2	1.3	1.4	1.8	1.9	1.7	1.3	1.2	1.1	0.8
LSD	1.0	1.0	1.1	1.1	1.5	1.5	1.4	1.1	1.0	0.9	0.6
Cocaine (all forms)	1.2	1.2	1.3	1.4	1.1	1.3	1.2	1.0	0.7	0.7	0.5
Crack Cocaine	0.8	0.8	0.8	0.9	0.7	0.8	0.7	0.7	0.4	0.5	0.3
Heroin	0.6	0.5	0.6	0.6	0.6	0.7	0.6	0.6	0.4	0.4	0.3
Amphetamines	3.2	3.4	3.4	3.3	3.8	4.6	4.2	3.6	3.6	3.3	2.6
Methamphetamine	1.3	0.8	1.1								
Tranquilizers	1.6	1.4	1.1	1.2	1.2	1.5	1.2	1.1	0.9	0.8	0.8
Steroids	0.7	0.8	0.7	0.5	0.5	0.4	0.6	0.5	0.5	0.5	0.4
MDMA (Ecstasy)	1.8	1.4	0.8	0.9	1.0	1.0					

Percent Ever Using Drug

Alcohol	50.5	51.7	52.1	52.5	53.8	55.3	54.5	55.8	55.7		
Ever Been Drunk	23.4	25.1	24.8	24.8	25.2	26.8	25.3	25.9	26.4	26.8	26.7
Cigarettes	36.6	40.5	44.1	45.7	47.3	49.2	46.4	46.1	45.3	45.2	44.0
Smokeless Tobacco	11.7	12.8	14.4	15.0	16.8	20.4	20.0	19.9	18.7	20.7	22.2
Any Illicit Drug	26.8	26.8	28.3	29.0	29.4	31.2	28.5	25.7	22.5	20.6	18.7
Marijuana/Hashish	20.4	20.3	22.0	22.2	22.6	23.1	19.9	16.7	12.6	11.2	10.2
Inhalants	17.1	17.9	19.7	20.5	21.0	21.2	21.6	19.9	19.4	17.4	17.6
Hallucinogens	4.0	4.6	4.8	4.9	5.4	5.9	5.2	4.3	3.9	3.8	3.2
LSD	3.4	3.9	4.1	4.1	4.7	5.1	4.4	3.7	3.5	3.2	2.7
Cocaine (all forms)	4.3	4.5	4.7	4.6	4.4	4.5	4.2	3.6	2.9	2.9	2.3
Crack Cocaine	3.0	3.1	3.1	3.2	2.7	2.9	2.7	2.4	1.7	1.6	1.3
Heroin	1.7	1.9	2.3	2.3	2.1	2.4	2.3	2.0	1.4	1.4	1.2
Amphetamines	10.2	9.9	10.7	11.3	12.3	13.5	13.1	12.3	11.8	10.8	10.5
Methamphetamine	4.4	4.2	4.5								
Tranquilizers	4.7	4.4	4.4	4.6	4.8	5.3	4.5	4.6	4.4	4.1	3.8
Steroids	2.8	3.0	2.7	2.3	1.8	1.8	2.0	2.0	1.6	1.7	1.9
MDMA (Ecstasy)	5.2	4.3	2.7	2.7	3.2	3.4					

Source: 69

* "Binge" alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.